Fuel Additives Fuel Problem Solver

















Function

Product Name

Diesel & MGO Engines



MAXIMUS Diesel Power Booster Turns regular diesel into premium+++

Maximum performance Maximum fuel efficiency Eliminates turbo lag

Dilution Rates: 500Ml treats up to 250L (1:500)



DPB-100 Injector Cleaner

Reduces fuel consumption & emissions by up to 10%

Contains strong detergents which clean & protect injectors Improves combustion, boosts cetane Improves fuel stability Reduces harmful emissions

Dilution Rates: 1L treats up to 1,500L (1:1500)



CEBO Cetane Booster Boosts cetane numbers in diesel & MGO

Contains pure 2-EHN 2-Ethyl Hexyl Nitrate Improves performance, increases cetane by up to 8 pts Improves cold start and reduces diesel engine knock

Dilution Rates: 1L treats up to 1,000L (1:1000)



DPF-24 Diesel Particulate Filter Cleaner Rapidly regenerates DPF systems in all vehicles

Burn off accumulated soot deposits Saves fuel and increases DPF life Compatible with all diesel engines Low cost regeneration solution

Dilution Rates: 250Ml treats up to 60L (1:240)



FPB-77 FuelPlus Multi-Biocide Knocks out harmful bugs in all fuels

Quickly kills all fuel microbes in fuel & water phase Stops excess sludge build-up keeping fuel stable for 6 months Stops blocked lines and filters, long lasting protection

Dilution Rates: 250Ml treats up to 2,500L (1:10000)



FD-66 Fuel Dryer

Eliminates water from the fuel tank

Protects against rust and corrosion
Prevents carburettor and fuel system icing
Simply burned in the engine during normal usage

Dilution Rates: 250Ml treats up to 75L (1:300)

Diesel & MG(

Type

Function

Product Name

Diesel & MGO Engines



Dehazer & Demulsifer Removes fuel haziness, water from diesel & MGO

Reduced need for filtering and reprocessing Reduced tank settling period, improving operational efficiency Preventing of hazing problems across supply chain

Dilution Rates: 500Ml treats up to 5,000L (1:10000)



LUBO Lubricity Booster

Low sulphur fuels lubricant improver

Improves lubricity of low sulphur diesel/ MGO Extends life of components by minimizing metal-metal contact

Dilution Rates: 1L treats up to 4,000L (1:4000)



Winter Cold Flow

Prevents winter cold flow gelling & waxing

Reduced pour point up to 22°C (40°F) Reduced wax formation up to 10°C (18°F) Reduced CFPP (Cold filter plugging point)

Dilution Rates: 1L treats up to 1,000L (1:1000)

Petrol All Engines



PIC-24 Petrol Power Blast

Cleans and protects injectors, boosts power

Improves combuston & boosts octane Improves fuel stability Gives as new engine performance

Dilution Rates: 250Ml treats up to 250L (1:1000)



FD-66 Fuel Dryer

Eliminates water from the fuel tank

Protects against rust and corrosion
Prevents carburettor and fuel system icing
Simply burned in the engine during normal usage

Dilution Rates: 250Ml treats up to 75L (1:300)

Heating Oil & Kerosene



VULCAN Heating Oil Treatment

Removes soot, cleans injectors and burner nozzles

Improves combustion, reduces oil consumption by 10% Ideal for Aga, Rayburn and Range Master cookers Removes accumulated soot and sludge

Dilution Rates: 500Ml treats up to 2,500L (1:5000)